


C - FOLD

| | |
|------------------------------|-------------------|
| # ply | 1 |
| gsm/ply | 38 - 42 |
| caliper, micron/ply | 140 (min) |
| MD tensile (min), g/15mm/ply | 550 |
| CD tensile (min), g/15mm/ply | 350 |
| MD elongation, % (min) | 10 |
| CD elongation, % (min) | 3 |
| Relative MD wet tensile, % | 25 - 30 |
| Moisture % | 4 - 7 |
| Roll Width, cm | Max 210, Min 27.5 |
| Roll Diameter, cm | Max 115, Min 100 |


Above are general specifications, exact specifications to be confirmed upon inquiry or order



FACIAL / POCKET

| | |
|------------------------------|-----------------|
| # ply | 2, 3, & 4 |
| gsm/ply | 12.8 - 15.3 |
| caliper, micron/ply | 60 - 120 |
| MD tensile (min), g/15mm/ply | 87.5 |
| CD tensile (min), g/15mm/ply | 36 |
| MD elongation, % (min) | 7 |
| CD elongation, % (min) | 3 |
| Relative MD wet tensile, % | 12 - 20 |
| Moisture % | 4 - 7 |
| Roll Width, cm | Max 270, Min 17 |
| Roll Diameter, cm | Max 220, Min 80 |


Above are general specifications, exact specifications to be confirmed upon inquiry or order



KITCHEN TOWEL

| | |
|------------------------------|-------------------------|
| # ply | 1 & 2 |
| gsm/ply | 18 - 28 |
| caliper, micron/ply | 95 - 135 |
| MD tensile (min), g/15mm/ply | 160 |
| CD tensile (min), g/15mm/ply | 75 |
| MD elongation, % (min) | 10 |
| CD elongation, % (min) | 3 |
| Relative MD wet tensile, % | 17 - 30 |
| Moisture % | 4 - 7 |
| Roll Width, cm | Max 270, Min 20 |
| Roll Diameter, cm | Max 220, Min 100 |


Above are general specifications, exact specifications to be confirmed upon inquiry or order



NAPKIN

| | |
|------------------------------|-----------------|
| # ply | 1 & 2 |
| gsm/ply | 16.5 - 22 |
| caliper, micron/ply | 80 - 105 |
| MD tensile (min), g/15mm/ply | 130 |
| CD tensile (min), g/15mm/ply | 65 |
| MD elongation, % (min) | 10 |
| CD elongation, % (min) | 3 |
| Relative MD wet tensile, % | 20 - 30 |
| Moisture % | 4 - 7 |
| Roll Width, cm | Max 270, Min 21 |
| Roll Diameter, cm | Max 220, Min 90 |

Above are general specifications, exact specifications to be confirmed upon inquiry or order



TOILET

| | |
|------------------------------|------------------|
| # ply | 1, 2, & 3 |
| gsm/ply | 15 - 20.5 |
| caliper, micron/ply | 80 - 140 |
| MD tensile (min), g/15mm/ply | 100 |
| CD tensile (min), g/15mm/ply | 50 |
| MD elongation, % (min) | 8 |
| CD elongation, % (min) | 3 |
| Relative MD wet tensile, % | ZERO |
| Moisture % | 4 - 7 |
| Roll Width, cm | Max 270, Min 54 |
| Roll Diameter, cm | Max 220, Min 100 |

Above are general specifications, exact specifications to be confirmed upon inquiry or order

WET STRENGTH

| | |
|------------------------------|-----------------|
| # ply | 1 |
| gsm/ply | 17 - 22 |
| caliper, micron/ply | 80 - 125 |
| MD tensile (min), g/15mm/ply | 180 |
| CD tensile (min), g/15mm/ply | 80 |
| MD elongation, % (min) | 10 |
| CD elongation, % (min) | 3 |
| Relative MD wet tensile, % | 20 - 30 |
| Moisture % | 4 - 7 |
| Roll Width, cm | Max 270, Min 17 |
| Roll Diameter, cm | Max 220, Min 70 |

Above are general specifications, exact specifications to be confirmed upon inquiry or order